factsheet BREAST PAIN (MASTALGIA)



What is mastalgia?

Mastalgia (breast pain) is a common cause of discomfort and anxiety for women and is not usually a sign of breast cancer or other breast disease. If you have breast pain, talk to your doctor about it, especially if it is severe or interfering with your daily life.

Are there different types of mastalgia?

There are two main types of mastalgia - cyclical and non-cyclical.

Cyclical mastalgia

Cyclical breast pain is linked to your menstrual cycle and changing hormone levels. It usually goes away during pregnancy and menopause. For many, it is normal for breasts to become tender or painful just before their period. About two thirds of those with breast pain have this type of pain.

Cyclical mastalgia:

- is often described as dull, heavy and achy
- usually affects age 30s-40s
- usually starts in the second half of the menstrual cycle, increases until the period begins, then settles during the period
- can be more severe and prolonged for 1 to 2 weeks before a period
- usually involves the upper outer breast area into the underarm
- can be spread over both breasts, but may be more severe in one breast

Non-cyclical mastalgia

Non-cyclical breast pain is not related to the menstrual cycle. There are a number of causes including infection and benign (non-cancerous) breast lumps. Sometimes the pain comes from the breast tissue in one or both breasts without any physical cause. About one third of those with breast pain have this type of pain.

Non-cyclical mastalgia:

- is often described as burning, drawing, achy and sore.
- usually affects age 40s-50s
- can come and go
- tends to be one sided and in one section of the breast

Are there other types of pain that can be mistaken for mastalgia?

Pain in the breast area can be referred from other parts of the body including:

- joints spine and ribs
- nerves compression or irritation
- muscles chest and upper back

or may be from other illnesses such as:

- shingles
- pneumonia
- gall stones

Referred pain in the breast area tends to be:

- on one side of the body only
- brought on by activity
- experienced at the extremities of the breast
- felt when pressure is applied on a specific area of the chest wall

Your doctor will need to do a thorough physical examination to determine the cause of any referred breast pain.

How is mastalgia treated?

If the pain is mild or goes away when your period starts you may not need any treatment.

Simple measures that have been shown to be effective include:

- a well-fitting sports bra
- a soft support bra for sleeping
- simple painkillers such as paracetamol or ibuprofen
- topical NSAIDs (non steroidal antiinflammatory drugs) such as diclofenac gel

There is no evidence that stopping or changing the combined oral contraceptive pill affects breast pain. In fact, breast pain usually goes away after a few months when you first start oral contraceptives.

There are no studies about the effect of menopausal hormone therapy (MHT) on breast pain - your doctor might recommend stopping MHT or trying a low dose and increasing it slowly.

1300 372 372 | fpnsw.org.au Property of FPA

BREAST PAIN (MASTALGIA)



There is no evidence that the following treatments are effective in managing mastalgia:

- vitamins A, B6 or E
- strong painkillers codeine, morphine, etc
- diuretics
- changes to diet reducing caffeine, salt or fat
- evening primrose oil

When should I see my doctor?

Although breast pain isn't usually a sign of breast cancer you should see your doctor if you have any of the following:

- new breast lumps
- new lumpiness
- changes in the shape of your breast
- changes in the nipple
- discharge from your nipple
- any ongoing breast pain

Your doctor will examine your breasts, both visually and by carefully feeling the breasts. They will then decide whether to send you for further tests (mammogram or ultrasound). Your doctor may ask you to keep a pain chart to get an accurate idea of when you have the pain and how bad it is.

What about breast awareness?

You should know how your breasts usually look and feel, so that you can see a health professional as soon as you notice any changes.

For more information

- Visit your nearest Family Planning Australia clinic <u>fpnsw.org.au/clinics</u>
- Chat to a nurse via Talkline 1300 658 886 or fpnsw.org.au/talkline
- National Relay Service (for people who are d/Deaf, hard of hearing or have speech communication difficulties) – 133 677
- Translating and Interpreting Service (TIS National) – 131 450

The information in this Factsheet has been provided for educational purposes only and Family Planning Australia has taken care to ensure that the information is accurate and up-to-date at the time of publication. If you have personal concerns about your reproductive/sexual health, please see a health care provider or visit a Family Planning clinic. July 2025

1300 372 372 | fpnsw.org.au Property of FPA